8 Week Functional Test

-following ACL reconstruction (either Patella Tendon graft or Hamstring graft)
OBSERVATION, QUALITATIVE/QUANTITATIVE ANALYSIS TO
DETERMINE PATIENT'S ABILITY TO PROGRESS TO PLYOMETRICS
AND JOGGING. A SUCCESSFUL PERFORMANCE IS NECESSARY TO
PROGRESS TO NEXT STAGE OF REHABILITATION.

Patient:						Date:				
0	1	2	3 VA	S PAIN 4	LAST 5	24 HOI 6	<u>JRS</u> 7	8	9	10
15 CM	1 SUP	ГО S.P О I.P.P	.P=	R 	L 	-				
COMF OBSE (E- E)	PARE II RVE/D (CELLE	NVOLV OCUM ENT, V	ED (I) ENT G- VER	5 DEGI TO UNII Y GOO PROPR	NVOL\ D, G- (/ED (U) GOOD,	AND F- FAIR	<u>N</u> R, AND F	P-POOF	₹)
U BAL	ANCE	: OL:	E E	VG VG VG	G G	F	P P			
QUAL	<u>ITATIV</u>	E DES	<u>CRIPTI</u>	ON:						
				CTIONA .CH: AN				AND PC	STERI	OR
l= U=	CN	1 I	I: A= U:A=		L= L=		P=_ P=_			
	9 9			TOGET	HER,	THEN I	/U			
				N ORTH	—— ∩₽∆ЕГ	NCS FO	R DHVS	ICIAN R	E\/IE\\/_	FΔY
	324-896		AIVIIL I O	IN OINTH	OFALL		IX FIII O		∟ v 1∟ v v -	1 7/